

Supplement to: Challenges in the Statistical Modeling of Stochastic Processes for the Natural Sciences (17w5107)

Additional references from the breakout sessions

- [1] J. C. Aerts and W. W. Botzen. Climate change impacts on pricing long-term flood insurance: A comprehensive study for the Netherlands. *Global Environmental Change*, 21:1045–1060, 2011.
- [2] S. Ambikasaran, D. Foreman-Mackey, L. Greengard, D. W. Hogg, and M. O’Neil. Fast direct methods for Gaussian processes. *IEEE transactions on Pattern Analysis and Machine Intelligence*, 38:252–265, 2016.
- [3] I. T. Andersen and U. Hahn. Matérn thinned Cox processes. *Spatial Statistics*, 15:1–21, 2016.
- [4] C. Andersson, P. Guttorp, and A. Särkkä. Discovering early diabetic neuropathy from epidermal nerve fiber patterns. *Statistics in Medicine*, 35:4427–4442, 2016.
- [5] C. Andrieu, A. Doucet, and R. Holenstein. Particle Markov chain Monte carlo methods. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 72:269–342, 2010.
- [6] A. Bárdossy. Copula-based geostatistical models for groundwater quality parameters. *Water Resources Research*, 42, 2006.
- [7] D. Bolin and F. Lindgren. Excursion and contour uncertainty regions for latent Gaussian models. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 77:85–106, 2015.
- [8] D. Bolin and F. Lindgren. Quantifying the uncertainty of contour maps. *Journal of Computational and Graphical Statistics*, 2016.
- [9] A. Bostrom, L. Anselin, and J. Farris. Visualizing seismic risk and uncertainty. *Annals of the New York Academy of Sciences*, 1128:29–40, 2008.
- [10] K. Brodlie, R. A. Osorio, and A. Lopes. A review of uncertainty in data visualization. In *Expanding the frontiers of visual analytics and visualization*, pages 81–109. Springer, 2012.
- [11] N. Chen and A. J. Majda. Simple stochastic dynamical models capturing the statistical diversity of El Niño southern oscillation. *Proceedings of the National Academy of Sciences*, pages 1468–1473, 2017.
- [12] G. S. Chiu and J. M. Gould. Statistical inference for food webs with emphasis on ecological networks via Bayesian melding. *Environmetrics*, 21:728–740, 2009.
- [13] R. de Fondeville and A. C. Davison. High-dimensional peaks-over-threshold inference for the Brown-Resnick process. *arXiv preprint arXiv:1605.08558*, 2016.
- [14] V. Dukic, H. F. Lopes, and N. G. Polson. Tracking epidemics with google flu trends data and a state-space seir model. *Journal of the American Statistical Association*, 107:1410–1426, 2012.
- [15] A. V. Dyrrdal, A. Lenkoski, T. L. Thorarinsdottir, and F. Stordal. Bayesian hierarchical modeling of extreme hourly precipitation in norway. *Environmetrics*, 26:89–106, 2014.
- [16] A. M. Ebtehaj, E. Foufoula-Georgiou, and G. Lerman. Sparse regularization for precipitation downscaling. *Journal of Geophysical Research: Atmospheres*, 117, 2012.
- [17] G. Faÿ, E. Moulines, F. Roueff, and M. S. Taqqu. Estimators of long-memory: Fourier versus wavelets. *Journal of Econometrics*, 151:159–177, 2009.

- [18] P. Fearnhead, V. Giagos, and C. Sherlock. Inference for reaction networks using the linear noise approximation. *Biometrics*, 70:457–466, 2014.
- [19] B. Fischhoff. The sciences of science communication. *Proceedings of the National Academy of Sciences*, 110(Supplement 3):14033–14039, 2013.
- [20] T. C. O. Fonseca and M. F. J. Steel. A general class of nonseparable space-time covariance models. *Environmetrics*, 22:224–242, 2011.
- [21] T. C. O. Fonseca and M. F. J. Steel. Non-Gaussian spatiotemporal modelling through scale mixing. *Biometrika*, 98:761–774, 2011.
- [22] E. Foufoula-Georgiou, A. M. Ebtehaj, S. Q. Zhang, and A. Y. Hou. Downscaling satellite precipitation with emphasis on extremes: A variational 1-norm regularization in the derivative domain. *Surveys in Geophysics*, 35:765–783, 2013.
- [23] G.-A. Fuglstad, F. Lindgren, D. Simpson, and H. Rue. Exploring a new class of non-stationary spatial Gaussian random fields with varying local anisotropy. *Statistica Sinica*, 2014.
- [24] A. E. Gelfand and S. Banerjee. Bayesian modeling and analysis of geostatistical data. *Annual Review of Statistics and Its Application*, 4:245–266, 2017.
- [25] T. Gneiting, M. G. Genton, and P. Guttorp. Geostatistical space-time models, stationarity, separability, and full symmetry. *Monographs On Statistics and Applied Probability*, 107:151, 2006.
- [26] J. A. González, F. J. Rodríguez-Cortés, O. Cronie, and J. Mateu. Spatio-temporal point process statistics: A review. *Spatial Statistics*, 18:505–544, 2016.
- [27] B. Gräler. Modelling skewed spatial random fields through the spatial vine copula. *Spatial Statistics*, 10:87–102, 2014.
- [28] P. Guttorp and A. M. Schmidt. Covariance structure of spatial and spatiotemporal processes. *Wiley Interdisciplinary Reviews: Computational Statistics*, 5:279–287, 2013.
- [29] H. Häbel, T. Rajala, M. Marucci, C. Boissier, K. Schladitz, C. Redenbach, and A. Särkkä. A three-dimensional anisotropic point process characterization for pharmaceutical coatings. *Spatial Statistics*, 2017.
- [30] S. Hallegatte, C. Green, R. J. Nicholls, and J. Corfee-Morlot. Future flood losses in major coastal cities. *Nature Climate Change*, 3:802–806, 2013.
- [31] M. B. Hooten and C. K. Wikle. A hierarchical Bayesian non-linear spatio-temporal model for the spread of invasive species with application to the eurasian collared-dove. *Environmental and Ecological Statistics*, 15:59–70, 2007.
- [32] C. Hutengs and M. Vohland. Downscaling land surface temperatures at regional scales with random forest regression. *Remote Sensing of Environment*, 178:127–141, 2016.
- [33] E. L. Ionides, D. Nguyen, Y. Atchadé, S. Stoev, and A. A. King. Inference for dynamic and latent variable models via iterated, perturbed Bayes maps. *Proceedings of the National Academy of Sciences*, 112:719–724, 2015.
- [34] M. Jun and M. L. Stein. An approach to producing space-time covariance functions on spheres. *Technometrics*, 49:468–479, 2007.
- [35] H.-M. Kim and B. K. Mallick. A Bayesian prediction using the skew Gaussian distribution. *Journal of Statistical Planning and Inference*, 120:85–101, 2004.

- [36] P. Krupskii, R. Huser, and M. G. Genton. Factor copula models for replicated spatial data. *Journal of the American Statistical Association*, 2016.
- [37] E. Lakatos, A. Ale, P. D. W. Kirk, and M. P. H. Stumpf. Multivariate moment closure techniques for stochastic kinetic models. *The Journal of Chemical Physics*, 143:094107, 2015.
- [38] H. Liang and H. Wu. Parameter estimation for differential equation models using a framework of measurement error in regression models. *Journal of the American Statistical Association*, 103:1570–1583, 2008.
- [39] J. Liepe, P. Kirk, S. Filippi, T. Toni, C. P. Barnes, and M. P. H. Stumpf. A framework for parameter estimation and model selection from experimental data in systems biology using approximate Bayesian computation. *Nature Protocols*, 9:439–456, 2014.
- [40] F. Lindgren, H. Rue, and J. Lindström. An explicit link between Gaussian fields and Gaussian Markov random fields: the stochastic partial differential equation approach. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 73:423–498, 2011.
- [41] A. M. MacEachren, A. Robinson, S. Hopper, S. Gardner, R. Murray, M. Gahegan, and E. Hetzler. Visualizing geospatial information uncertainty: What we know and what we need to know. *Cartography and Geographic Information Science*, 32:139–160, 2005.
- [42] R. E. Morss, O. V. Wilhelmi, M. W. Downton, and E. Gruntfest. Flood risk, uncertainty, and scientific information for decision making: Lessons from an interdisciplinary project. *Bulletin of the American Meteorological Society*, 86:1593–1601, 2005.
- [43] V. D. Oliveira, B. Kedem, and D. A. Short. Bayesian prediction of transformed Gaussian random fields. *Journal of the American Statistical Association*, 92:1422, 1997.
- [44] M. B. Palacios and M. F. J. Steel. Non-Gaussian Bayesian geostatistical modeling. *Journal of the American Statistical Association*, 101:604–618, 2006.
- [45] J. Parslow, N. Cressie, E. P. Campbell, E. Jones, and L. Murray. Bayesian learning and predictability in a stochastic nonlinear dynamical model. *Ecological Applications*, 23:679–698, 2013.
- [46] D. B. Percival, S. M. Lennox, Y.-G. Wang, and R. E. Darnell. Wavelet-based multiresolution analysis of wivenhoe dam water temperatures. *Water Resources Research*, 47, 2011.
- [47] N. Pidgeon and B. Fischhoff. The role of social and decision sciences in communicating uncertain climate risks. *Nature Climate Change*, 1:35–41, 2011.
- [48] T. A. Rajala, A. Särkkä, C. Redenbach, and M. Sormani. Estimating geometric anisotropy in spatial point patterns. *Spatial Statistics*, 15:100–114, 2016.
- [49] J. O. Ramsay, G. Hooker, D. Campbell, and J. Cao. Parameter estimation for differential equations: a generalized smoothing approach. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 69:741–796, 2007.
- [50] H. Rootzén, J. Segers, and J. L. Wadsworth. Multivariate peaks over thresholds models. *Extremes*, 2017.
- [51] H. Rue, A. Riebler, S. H. Sørbye, J. B. Illian, D. P. Simpson, and F. K. Lindgren. Bayesian computing with INLA: A review. *Annual Review of Statistics and Its Application*, 4:395–421, 2017.
- [52] B. T. Russell, D. S. Cooley, W. C. Porter, B. J. Reich, C. L. Heald, et al. Data mining to investigate the meteorological drivers for extreme ground level ozone events. *The Annals of Applied Statistics*, 10:1673–1698, 2016.

- [53] J. Sharpnack, A. Singh, and A. Krishnamurthy. Detecting activations over graphs using spanning tree wavelet bases. In *Artificial Intelligence and Statistics*, pages 536–544, 2013.
- [54] S. S. P. Shen, N. Tafolla, T. M. Smith, and P. A. Arkin. Multivariate regression reconstruction and its sampling error for the quasi-global annual precipitation from 1900 to 2011. *Journal of the Atmospheric Sciences*, 71:3250–3268, 2014.
- [55] D. Spiegelhalter, M. Pearson, and I. Short. Visualizing uncertainty about the future. *Science*, 333:1393–1400, 2011.
- [56] S. N. Stechmann and J. D. Neelin. A stochastic model for the transition to strong convection. *Journal of the Atmospheric Sciences*, 68:2955–2970, 2011.
- [57] M. L. Stein. Space-time covariance functions. *Journal of the American Statistical Association*, 100:310–321, 2005.
- [58] L. Sun, C. Lee, and J. A. Hoeting. Parameter inference and model selection in deterministic and stochastic dynamical models via approximate Bayesian computation: modeling a wildlife epidemic. *Environmetrics*, 26:451–462, 2015.
- [59] L. Sun, C. Lee, and J. A. Hoeting. A penalized simulated maximum likelihood approach in parameter estimation for stochastic differential equations. *Computational Statistics & Data Analysis*, 84:54–67, 2015.
- [60] T. Toni, D. Welch, N. Strelkowa, A. Ipsen, and M. P. Stumpf. Approximate Bayesian computation scheme for parameter inference and model selection in dynamical systems. *Journal of The Royal Society Interface*, 6:187–202, 2009.
- [61] A. A. Tsonis and K. L. Swanson. Topology and predictability of El Niño and La Niña networks. *Physical Review Letters*, 100, 2008.
- [62] J. Wallin and D. Bolin. Geostatistical modelling using non-Gaussian Matérn fields. *Scandinavian Journal of Statistics*, 42:872–890, 2015.
- [63] Y.-X. Wang, J. Sharpnack, A. Smola, and R. J. Tibshirani. Trend filtering on graphs. *Journal of Machine Learning Research*, 17:1–41, 2016.
- [64] G. Xu and M. G. Genton. Tukey g-and-h random fields. *Journal of the American Statistical Association*, pages 1–14, 2016.
- [65] H. Zareifard and M. Jafari Khaledi. Non-Gaussian modeling of spatial data using scale mixing of a unified skew Gaussian process. *Journal of Multivariate Analysis*, 114:16–28, 2013.
- [66] H. Zhang and A. El-Shaarawi. On spatial skew-Gaussian processes and applications. *Environmetrics*, 21:33–47, 2009.